

## Author Index to Volume 157

- Abramczyk, H. and J. Kroh, Absorption spectra of a solvated electron in ethers 157 (1991) 373
- Ackermann, J. and H. Hogreve, Adiabatic calculations and properties of the  $\text{He}_2^+$  molecular ion 157 (1991) 75
- Arrighini, G.P., N. Durante and C. Guidotti, Variational approach to quantum dynamics: a simple application to molecular photodissociation 157 (1991) 365
- Basilevsky, M.V. and G.E. Chudinov, Dynamics of charge transfer chemical reactions in a polar medium within the scope of the Born-Kirkwood-Onsager model 157 (1991) 327
- Basilevsky, M.V. and G.E. Chudinov, The configuration interaction theory for charge transfer chemical processes in a polar solvent 157 (1991) 345
- Berezhkovskii, A.M. and V.Yu. Zitserman, Activated rate processes in the multidimensional case. Consideration of recrossings in the multidimensional Kramers problem with anisotropic friction 157 (1991) 141
- Boyd, R.J., see K.V. Darvesh 157 (1991) 99
- Bruna, P.J. and J.S. Wright, Transition probabilities for the  $B^1\Delta_g - A^1\Pi_u$  and  $B'^1\Sigma_g^+ - A^1\Pi_u$  infrared bands of  $\text{C}_2$ . An ab initio study 157 (1991) 111
- Buján-Núñez, M.C., see M.A. López-Quintela 157 (1991) 307
- Castro, E.A., see C.G. Diaz 157 (1991) 35
- Chacón, A., see J.C. Otero 157 (1991) 201
- Chesnut, D.B. and B.E. Rusiloski, Ab initio calculation of phosphorus NMR chemical shifts in the gauge including atomic orbital method 157 (1991) 105
- Chudinov, G.E., see M.V. Basilevsky 157 (1991) 327
- Chudinov, G.E., see M.V. Basilevsky 157 (1991) 345
- Darvesh, K.V., P.D. Fricker and R.J. Boyd, Singlet-triplet energy component differences in homonuclear diatomics: a multi-reference configuration interaction study of Hund's rule 157 (1991) 99
- Diaz, C.G., F.M. Fernández and E.A. Castro, Construction of bound-state potential energy curves of diatomic molecules from spectroscopic data 157 (1991) 35
- Durante, N., see G.P. Arrighini 157 (1991) 365
- Evans, M.W., Theory and simulation of optically induced line shifts in NMR 157 (1991) 1
- Fagan, P.J., see J.R.G. Thorne 157 (1991) 401
- Feranchuk, I.D., A.P. Ulyanenko and V.S. Kuz'min, Specific heat from an unsymmetrical double well potential 157 (1991) 61
- Fernández, F.M., see C.G. Diaz 157 (1991) 35
- Francisco, J.S. and W.A. Ghoul, Ab initio quantum-chemical study of the unimolecular pyrolysis mechanisms of fluoroformic and chloroformic acid 157 (1991) 89
- Fricker, P.D., see K.V. Darvesh 157 (1991) 99

- Ghoul, W.A., see J.S. Francisco 157 (1991) 89
- Griffiths, W.J. and F.M. Harris, The benzene dication: energies of excited states determined by double-charge-transfer spectroscopy using  $\text{OH}^+$  and  $\text{F}^+$  projectile ions 157 (1991) 299
- Guidotti, C., see G.P. Arrighini 157 (1991) 365
- Harris, F.M., see W.J. Griffiths 157 (1991) 299
- Harris, J.M., see X.R. Zhu 157 (1991) 409
- Hayamizu, K., see S. Hayashi 157 (1991) 381
- Hayashi, S. and K. Hayamizu, Spinning-rate dependence of  $^{31}\text{P}$  magic-angle-spinning nuclear magnetic resonance spectra in condensed phosphates 157 (1991) 381
- Heinze, J., see S. Müller 157 (1991) 231
- Hennecke, M. and H.F. Kauffmann, On the fluorescence depolarization in bis-(N-carbazolyl) compounds 157 (1991) 391
- Hirayama, S., see A.D. Scully 157 (1991) 253
- Hirayama, S., see A.D. Scully 157 (1991) 271
- Hochstrasser, R.M., see J.R.G. Thorne 157 (1991) 401
- Hogreve, H., see J. Ackermann 157 (1991) 75
- Ida, T., K. Yakushi, H. Kuroda, H. Yamochi and G. Saito, Pressure dependence of the polarized reflectance spectrum of a solid charge-transfer complex, perylene-hexacyanobutadiene (HCBT), Chem. Phys. 156 (1991) 113-122. Erratum 157 (1991) 305
- Jackson, R.L., General numerical solution to the time-dependent master equation for non-steady-state reactions: application to the photoinitiated isomerization of cycloheptatriene to toluene 157 (1991) 315
- Kaa, J., see M. Seidl 157 (1991) 279
- Kauffmann, H.F., see M. Hennecke 157 (1991) 391
- Kellö, V. and A.J. Sadlej, Interaction potentials in rare gas-halide ion systems 157 (1991) 123
- Kim, S.K., see E.-K. Lee 157 (1991) 135
- Knöckel, H., see H. Richter 157 (1991) 217
- Komorowski, L. and J. Lipiński, Quantumchemical electronegativity and hardness indices for bonded atoms 157 (1991) 45
- Kroh, J., see H. Abramczyk 157 (1991) 373
- Krüger, A., C. Kryschi, L. Valkunas and D. Schmid, Singlet excitation energy transfer in tetracene doped *p*-terphenyl single crystals 157 (1991) 243
- Kryschi, C., see A. Krüger 157 (1991) 243
- Kuroda, H., see T. Ida 157 (1991) 305
- Kuz'min, V.S., see I.D. Feranchuk 157 (1991) 61
- Kuznetsov, A.M. and J. Ulstrup, Dissipative relaxation of a low-energy intermediate electronic state in three-level electron transfer 157 (1991) 25
- Lee, D.J., see E.-K. Lee 157 (1991) 135
- Lee, E.-K., D.J. Lee and S.K. Kim, On the critical scattering phenomena of a nonpolar fluid composed of chiral molecules 157 (1991) 135
- Liegner, C.-M., The treatment of electron correlation in aperiodic systems. IV. Exciton bands and double ionization potentials 157 (1991) 183

- Lipiński, J., see L. Komorowski 157 (1991) 45
- López-Cantarero, E., see J.C. Otero 157 (1991) 201
- López-Quintela, M.A. and M.C. Buján-Núñez, Computer simulation of partially diffusion-controlled reactions 157 (1991) 307
- Loureiro, J., Dissociation rate and N(<sup>4</sup>S) atom concentrations in a N<sub>2</sub> glow-discharge 157 (1991) 157
- Maier, M., see M. Seidl 157 (1991) 279
- Maki, A.H., see M. Yagi 157 (1991) 209
- Marcos, J.I., see J.C. Otero 157 (1991) 201
- Matsumoto, A., see A.D. Scully 157 (1991) 253
- Müller, S. and J. Heinze, Fluorescence analysis of two new TICT systems: 10-cyano-9,9'-bianthryl (CBA) and 10,10'-dicyano-9,9'-bianthryl (DCBA) 157 (1991) 231
- Okamoto, M., see A.D. Scully 157 (1991) 271
- Otero, J.C., J.I. Marcos, E. López-Cantarero and A. Chacón, Ring-puckering and internal rotation barriers in N,N'-dimethylethyleneurea 157 (1991) 201
- Paidarová, I., see J. Vojtík 157 (1991) 67
- Palmer, M.H. and I.C. Walker, The electronic states of the azines. V. Pyridazine, studied by VUV absorption, near threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations 157 (1991) 187
- Petelenz, P. and M. Slawik, Two-dimensional model of charge transfer excitons in polyacene crystals 157 (1991) 169
- Richter, H., H. Knöckel and E. Tiemann, The potential of the Na<sub>2</sub> B'<sup>1</sup>Π<sub>u</sub> state 157 (1991) 217
- Rusiloski, B.E., see D.B. Chesnut 157 (1991) 105
- Sadlej, A.J., see V. Kellö 157 (1991) 123
- Saito, G., see T. Ida 157 (1991) 305
- Schlyer, B.D., see M. Yagi 157 (1991) 209
- Schmid, D., see A. Krüger 157 (1991) 243
- Scully, A.D., A. Matsumoto and S. Hirayama, A time-resolved fluorescence study of electronic excitation energy transport in concentrated dye solutions 157 (1991) 253
- Scully, A.D., H. Yasuda, M. Okamoto and S. Hirayama, The effect of pressure on the dynamic quenching by oxygen of the excited singlet state of 9,10-dimethylantracene in solution 157 (1991) 271
- Seidl, M., J. Kaa and M. Maier, Relaxation of singlet molecular oxygen in the liquid and gas phase up to 154 K 157 (1991) 279
- Slawik, M., see P. Petelenz 157 (1991) 169
- Tague Jr., T.J. and C.A. Wright, Laser-initiated chain reactions and microexplosions in solid solutions of methylcyclopropane and chlorine, Chem. Phys. 156 (1991) 141-148. Erratum 157 (1991) 305
- Thorne, J.R.G., S.A. Williams, R.M. Hochstrasser and P.J. Fagan, Radiative lifetimes of confined excitations in sigma-conjugated silane oligomers 157 (1991) 401
- Tiemann, E., see H. Richter 157 (1991) 217

- Ulstrup, J., see A.M. Kuznetsov 157 (1991) 25  
Ulyanenko, A.P., see I.D. Feranchuk 157 (1991) 61
- Valkunas, L., see A. Krüger 157 (1991) 243  
Van der Zande, W.J., The vibrational constant of the  $O_2^2+X^1\Sigma_g^+$  state from the dissociative decay of  $n=3,4$  Rydberg states in  $O_2^+$  157 (1991) 287  
Vojtik, J. and I. Paidarová, Modified version of the trajectory surface leaking method for dynamical calculations on autoionizing atom-diatom collision systems 157 (1991) 67
- Walker, I.C., see M.H. Palmer 157 (1991) 187  
Williams, S.A., see J.R.G. Thorne 157 (1991) 401  
Wright, C.A., see T.J. Tague Jr. 157 (1991) 305  
Wright, J.S., see P.J. Bruna 157 (1991) 111
- Yagi, M., B.D. Schlyer and A.H. Maki, Optically detected magnetic resonance study of the phosphorescent states of trans-2,2'-bipyridine, metal-free cis-2,2'-bipyridine and  $[Zn(bpy)]^{2+}$  157 (1991) 209  
Yakushi, K., see T. Ida 157 (1991) 305  
Yamochi, H., see T. Ida 157 (1991) 305  
Yasuda, H., see A.D. Scully 157 (1991) 271
- Zhu, X.R. and J.M. Harris, Photothermal grating spectroscopy study of nongeminate atom recombination of photodissociated iodine in liquids 157 (1991) 409  
Zitserman, V.Yu., see A.M. Berezhkovskii 157 (1991) 141

# List of Subjects

## 1 Methods

### 1.1 Theoretical

- 1.1.1 Group theory and algebras \*
- 1.1.2 Classical mechanics
- 1.1.3 Quantized field theory
- 1.1.4 Many body and quasiparticle approaches \*
- 1.1.5 Coupling schemes and perturbative treatments \*
- 1.1.6 Relativistic quantum mechanics
- 1.1.7 Transport quantum mechanics
- 1.1.8 Equilibrium statistical mechanics
- 1.1.9 Statistical mechanics of stationary states \*
- 1.1.10 Non-equilibrium thermodynamic and hydrodynamic theories \*
- 1.1.11 Ab initio schemes for stationary properties \*
- 1.1.12 Computational and simulation methods \*
- 1.1.13 Molecular dynamics and scattering theory \*

### 1.2 Experimental

- 1.2.1 Magnetic resonances \*
- 1.2.2 Cyclotron resonance
- 1.2.3 Microwave spectroscopy
- 1.2.4 Infrared spectroscopy \*
- 1.2.5 Raman spectroscopy \*
- 1.2.6 Visible and UV spectroscopy \*
- 1.2.7 Fluorescence spectroscopy \*
- 1.2.8 Photoelectron and Auger spectroscopy \*
- 1.2.9 X-ray spectroscopy
- 1.2.10 Electron impact spectroscopy
- 1.2.11 Laser methods \*
- 1.2.12 Picosecond spectroscopy \*
- 1.2.13 Non-linear optical spectroscopy
- 1.2.14 Synchrotron spectroscopies \*
- 1.2.15 Coherent optical spectroscopy
- 1.2.16 Optical pumping
- 1.2.17 Multiple resonance spectroscopy
- 1.2.18 Optoacoustic spectroscopy
- 1.2.19 Atomic and molecular beam techniques \*
- 1.2.20 Time-resolved experiments \*
- 1.2.21 Mass spectrometry \*
- 1.2.22 Radiolysis
- 1.2.23 Mössbauer spectroscopy
- 1.2.24 X-ray, electron and neutron diffraction
- 1.2.25 Neutron scattering
- 1.2.26 Light scattering
- 1.2.27 Field emission and field ionization
- 1.2.28 Measurement of macroscopic variables

## 2 Objects

### 2.1 Bulk systems

- 2.1.1 Gases \*
- 2.1.2 Supersonic beams
- 2.1.3 Liquids neat \*
- 2.1.4 Liquid mixtures and solutions \*
- 2.1.5 Crystals \*
- 2.1.5.1 neat \*
- 2.1.5.2 mixed \*
- 2.1.6 Glasses \*
- 2.1.7 Liquid crystals
- 2.1.8 Polymers \*
- 2.1.9 Semiconductors
- 2.1.10 Metals and alloys
- 2.1.11 Thin films \*
- 2.1.12 Surfaces
- 2.1.13 Low-dimensional materials \*
- 2.1.14 Dielectrics
- 2.1.15 Plasmas \*
- 2.1.16 Biological systems

### 2.2 Microscopic systems

- 2.2.1 Atoms \*
- 2.2.2 Molecules (neutral and ionic) \*
- 2.2.2.1 diatomic \*
- 2.2.2.2 small polyatomics \*
- 2.2.2.3 aromatics \*
- 2.2.2.4 other large \*
- 2.2.2.5 polymeric and biological
- 2.2.3 Molecular aggregates \*
- 2.2.3.1 dimers \*
- 2.2.3.2 van der Waals molecules
- 2.2.3.3 clusters
- 2.2.3.4 complexes
- 2.2.4 Free radicals (including hydronium and muonium)
- 2.2.5 Quasiparticles (including excitons) \*
- 2.2.6 Defects and impurities
- 2.2.7 Ions and charge carriers \*

\* Denotes subjects covered in this volume

### 3 Phenomena

- 3.1 Molecular structure \*
- 3.2 Vibrations and rotations of molecules \*
- 3.3 Electronic structure and states \*
- 3.4 Electric and magnetic properties \*
- 3.5 Spin splittings \*
- 3.6 Optical activity \*
- 3.7 Molecular interactions \*
- 3.8 Spectral bandshapes and intensities \*
- 3.9 Coupling of electronic and nuclear motion \*
- 3.10 Energy transfer processes \*
- 3.11 Molecular photophysical processes \*
- 3.12 Intramolecular dynamics \*
- 3.12.1 radiationless transitions
- 3.12.2 vibrational energy redistribution (including vibrational dissociation) \*
- 3.13 Luminescence spectra, yields and lifetimes \*
- 3.14 Coherence loss processes
- 3.15 Non-linear responses (including optical)
- 3.16 Multiphoton phenomena
- 3.17 Reactions (including dissociation) \*
- 3.17.1 gas phase \*
- 3.17.2 condensed phase \*
- 3.17.3 photochemical \*
- 3.18 Tunnelling \*
- 3.19 Electron transfer \*
- 3.20 Positron annihilation
- 3.21 Ionization (including Rydberg states) \*
- 3.22 Molecular motion (including diffusive) \*
- 3.23 Isotopic effects
- 3.24 Fluctuations and noise
- 3.25 Collective motion and excitations \*
- 3.26 Surface effects and catalysis
- 3.27 Thermodynamic and transport properties \*
- 3.28 Structure of solids and liquids
- 3.29 Critical phenomena \*
- 3.30 Phase transitions

## Subject Index to Volume 157

### Methods

#### Theoretical

##### *Group theory and algebras*

- Theory and simulation of optically induced line shifts in NMR, M.W. Evans 157 (1991) 1

##### *Many body and quasiparticle approaches*

- Interaction potentials in rare gas-halide ion systems, V. Kellö and A.J. Sadlej 157 (1991) 123  
Two-dimensional model of charge transfer excitons in polyacene crystals, P. Petelenz and M. Slawik 157 (1991) 169  
The treatment of electron correlation in aperiodic systems. IV. Exciton bands and double ionization potentials, C.-M. Liegener 157 (1991) 183

##### *Coupling schemes and perturbative treatments*

- Theory and simulation of optically induced line shifts in NMR, M.W. Evans 157 (1991) 1  
Dissipative relaxation of a low-energy intermediate electronic state in three-level electron transfer, A.M. Kuznetsov and J. Ulstrup 157 (1991) 25  
Construction of bound-state potential energy curves of diatomic molecules from spectroscopic data, C.G. Diaz, F.M. Fernández and E.A. Castro 157 (1991) 35  
Absorption spectra of a solvated electron in ethers, H. Abramczyk and J. Kroh 157 (1991) 373

##### *Statistical mechanics of stationary states*

- Computer simulation of partially diffusion-controlled reactions, M.A. López-Quintela and M.C. Buján-Núñez 157 (1991) 307

##### *Non-equilibrium thermodynamic and hydrodynamic theories*

- Activated rate processes in the multidimensional case. Consideration of recrossings in the multidimensional Kramers problem with anisotropic friction, A.M. Berezhkovskii and V.Yu. Zitserman 157 (1991) 141  
Dissociation rate and N(<sup>4</sup>S) atom concentrations in a N<sub>2</sub> glow-discharge, J. Loureiro 157 (1991) 157  
Dynamics of charge transfer chemical reactions in a polar medium within the scope of the Born-Kirkwood-Onsager model, M.V. Basilevsky and G.E. Chudinov 157 (1991) 327  
The configuration interaction theory for charge transfer chemical processes in a polar solvent, M.V. Basilevsky and G.E. Chudinov 157 (1991) 345

##### *Ab initio schemes for stationary properties*

- Adiabatic calculations and properties of the He<sub>2</sub><sup>+</sup> molecular ion, J. Ackermann and H. Hogreve 157 (1991) 75



- Ab initio quantum-chemical study of the unimolecular pyrolysis mechanisms of fluoroformic and chloroformic acid, J.S. Francisco and W.A. Ghoul 157 (1991) 89
- Singlet-triplet energy component differences in homonuclear diatomics: a multi-reference configuration interaction study of Hund's rule, K.V. Darvesh, P.D. Fricker and R.J. Boyd 157 (1991) 99
- Ab initio calculation of phosphorus NMR chemical shifts in the gauge including atomic orbital method, D.B. Chesnut and B.E. Rusiloski 157 (1991) 105
- Transition probabilities for the  $B'^1\Delta_g-A'^1\Pi_u$  and  $B'^1\Sigma_g^+-A'^1\Pi_u$  infrared bands of  $C_2$ . An ab initio study, P.J. Bruna and J.S. Wright 157 (1991) 111
- Interaction potentials in rare gas-halide ion systems, V. Kellö and A.J. Sadlej 157 (1991) 123
- The electronic states of the azines. V. Pyridazine, studied by VUV absorption, near threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer and I.C. Walker 157 (1991) 187
- Ring-puckering and internal rotation barriers in  $N,N'$ -dimethylethyleneurea, J.C. Otero, J.I. Marcos, E. López-Cantarero and A. Chacón 157 (1991) 201
- Computational and simulation methods*
- Theory and simulation of optically induced line shifts in NMR, M.W. Evans 157 (1991) 1
- Construction of bound-state potential energy curves of diatomic molecules from spectroscopic data, C.G. Diaz, F.M. Fernández and E.A. Castro 157 (1991) 35
- Quantumchemical electronegativity and hardness indices for bonded atoms, L. Komorowski and J. Lipiński 157 (1991) 45
- Specific heat from an unsymmetrical double well potential, I.D. Feranchuk, A.P. Ulyanenko and V.S. Kuz'min 157 (1991) 61
- Modified version of the trajectory surface leaking method for dynamical calculations on autoionizing atom-diatom collision systems, J. Vojtk and I. Paidarová 157 (1991) 67
- Adiabatic calculations and properties of the  $He_2^+$  molecular ion, J. Ackermann and H. Hogreve 157 (1991) 75
- Computer simulation of partially diffusion-controlled reactions, M.A. López-Quintela and M.C. Buján-Núñez 157 (1991) 307
- General numerical solution to the time-dependent master equation for non-steady-state reactions: application to the photoinitiated isomerization of cycloheptatriene to toluene, R.L. Jackson 157 (1991) 315
- Molecular dynamics and scattering theory*
- Modified version of the trajectory surface leaking method for dynamical calculations on autoionizing atom-diatom collision systems, J. Vojtk and I. Paidarová 157 (1991) 67
- On the critical scattering phenomena of a nonpolar fluid composed of chiral molecules, E.-K. Lee, D.J. Lee and S.K. Kim 157 (1991) 135
- Variational approach to quantum dynamics: a simple application to molecular photodissociation, G.P. Arrighini, N. Durante and C. Guidotti 157 (1991) 365
- Experimental**
- Magnetic resonances*
- Optically detected magnetic resonance study of the phosphorescent states of trans-2,2'-bipyridine, metal-free cis-2,2'-bipyridine and  $[Zn(bpy)]^{2+}$ , M. Yagi, B.D. Schlyer and A.H. Maki 157 (1991) 209



- Spinning-rate dependence of  $^{31}\text{P}$  magic-angle-spinning nuclear magnetic resonance spectra in condensed phosphates, S. Hayashi and K. Hayamizu 157 (1991) 381
- Infrared spectroscopy*
- Ring-puckering and internal rotation barriers in N,N'-dimethylethyleneurea, J.C. Otero, J.I. Marcos, E. López-Cantarero and A. Chacón 157 (1991) 201
- Laser-initiated chain reactions and microexplosions in solid solutions of methylcyclopropane and chlorine, Chem. Phys. 156 (1991) 141-148., T.J. Tague Jr. and C.A. Wright 157 (1991) 305
- Raman spectroscopy*
- Ring-puckering and internal rotation barriers in N,N'-dimethylethyleneurea, J.C. Otero, J.I. Marcos, E. López-Cantarero and A. Chacón 157 (1991) 201
- Visible and UV spectroscopy*
- Two-dimensional model of charge transfer excitons in polyacene crystals, P. Petelenz and M. Slawik 157 (1991) 169
- The potential of the  $\text{Na}_2$   $B^1\Pi_u$  state, H. Richter, H. Knöckel and E. Tiemann 157 (1991) 217
- Pressure dependence of the polarized reflectance spectrum of a solid charge-transfer complex, perylene-hexacyanobutadiene (HCBT), Chem. Phys. 156 (1991) 113-122., T. Ida, K. Yakushi, H. Kuroda, H. Yamochi and G. Saito 157 (1991) 305
- Absorption spectra of a solvated electron in ethers, H. Abramczyk and J. Kroh 157 (1991) 373
- Fluorescence spectroscopy*
- Fluorescence analysis of two new TICT systems: 10-cyano-9,9'-bianthryl (CBA) and 10,10'-dicyano-9,9'-bianthryl (DCBA), S. Müller and J. Heinze 157 (1991) 231
- Singlet excitation energy transfer in tetracene doped *p*-terphenyl single crystals, A. Krüger, C. Kryschi, L. Valkunas and D. Schmid 157 (1991) 243
- A time-resolved fluorescence study of electronic excitation energy transport in concentrated dye solutions, A.D. Scully, A. Matsumoto and S. Hirayama 157 (1991) 253
- On the fluorescence depolarization in bis-(N-carbazolyl) compounds, M. Hennecke and H.F. Kauffmann 157 (1991) 391
- Radiative lifetimes of confined excitations in sigma-conjugated silane oligomers, J.R.G. Thorne, S.A. Williams, R.M. Hochstrasser and P.J. Fagan 157 (1991) 401
- Photoelectron and Auger spectroscopy*
- The treatment of electron correlation in aperiodic systems. IV. Exciton bands and double ionization potentials, C.-M. Liegener 157 (1991) 183
- The electronic states of the azines. V. Pyridazine, studied by VUV absorption, near threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer and I.C. Walker 157 (1991) 187
- Laser methods*
- The potential of the  $\text{Na}_2$   $B^1\Pi_u$  state, H. Richter, H. Knöckel and E. Tiemann 157 (1991) 217
- Laser-initiated chain reactions and microexplosions in solid solutions of methylcyclopropane and chlorine, Chem. Phys. 156 (1991) 141-148., T.J. Tague Jr. and C.A. Wright 157 (1991) 305
- Photothermal grating spectroscopy study of nongeminate atom recombination of photodissociated iodine in liquids, X.R. Zhu and J.M. Harris 157 (1991) 409

*Picosecond spectroscopy*

- Radiative lifetimes of confined excitations in sigma-conjugated silane oligomers,  
J.R.G. Thorne, S.A. Williams, R.M. Hochstrasser and P.J. Fagan 157 (1991) 401

*Synchrotron spectroscopies*

- The electronic states of the azines. V. Pyridazine, studied by VUV absorption, near threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer and I.C. Walker 157 (1991) 187

*Atomic and molecular beam techniques*

- The vibrational constant of the  $O_2^+ X^1\Sigma_g^+$  state from the dissociative decay of  $n=3,4$  Rydberg states in  $O_2^+$ , W.J. van der Zande 157 (1991) 287
- The benzene dication: energies of excited states determined by double-charge-transfer spectroscopy using  $OH^+$  and  $F^+$  projectile ions, W.J. Griffiths and F.M. Harris 157 (1991) 299

*Time-resolved experiments*

- A time-resolved fluorescence study of electronic excitation energy transport in concentrated dye solutions, A.D. Scully, A. Matsumoto and S. Hirayama 157 (1991) 253
- The effect of pressure on the dynamic quenching by oxygen of the excited singlet state of 9,10-dimethylantracene in solution, A.D. Scully, H. Yasuda, M. Okamoto and S. Hirayama 157 (1991) 271
- Relaxation of singlet molecular oxygen in the liquid and gas phase up to 154 K, M. Seidl, J. Kaa and M. Maier 157 (1991) 279
- Radiative lifetimes of confined excitations in sigma-conjugated silane oligomers, J.R.G. Thorne, S.A. Williams, R.M. Hochstrasser and P.J. Fagan 157 (1991) 401
- Photothermal grating spectroscopy study of nongeminate atom recombination of photodissociated iodine in liquids, X.R. Zhu and J.M. Harris 157 (1991) 409

*Mass spectrometry*

- The vibrational constant of the  $O_2^+ X^1\Sigma_g^+$  state from the dissociative decay of  $n=3,4$  Rydberg states in  $O_2^+$ , W.J. van der Zande 157 (1991) 287
- The benzene dication: energies of excited states determined by double-charge-transfer spectroscopy using  $OH^+$  and  $F^+$  projectile ions, W.J. Griffiths and F.M. Harris 157 (1991) 299

**Objects****Bulk systems***Gases*

- Specific heat from an unsymmetrical double well potential, I.D. Feranchuk, A.P. Ulyanenko and V.S. Kuz'min 157 (1991) 61
- Ab initio quantum-chemical study of the unimolecular pyrolysis mechanisms of fluorofornic and chlorofornic acid, J.S. Francisco and W.A. Ghoul 157 (1991) 89
- Ab initio calculation of phosphorus NMR chemical shifts in the gauge including atomic orbital method, D.B. Chesnut and B.E. Rusiloski 157 (1991) 105
- On the critical scattering phenomena of a nonpolar fluid composed of chiral molecules, E.-K. Lee, D.J. Lee and S.K. Kim 157 (1991) 135

- Relaxation of singlet molecular oxygen in the liquid and gas phase up to 154 K, M. Seidl, J. Kaa and M. Maier 157 (1991) 279
- Liquids neat*
- Relaxation of singlet molecular oxygen in the liquid and gas phase up to 154 K, M. Seidl, J. Kaa and M. Maier 157 (1991) 279
- Liquid mixtures and solutions*
- Optically detected magnetic resonance study of the phosphorescent states of trans-2,2'-bipyridine, metal-free cis-2,2'-bipyridine and  $[\text{Zn}(\text{bpy})]^{2+}$ , M. Yagi, B.D. Schlyer and A.H. Maki 157 (1991) 209
- Fluorescence analysis of two new TICT systems: 10-cyano-9,9'-bianthryl (CBA) and 10,10'-dicyano-9,9'-bianthryl (DCBA), S. Müller and J. Heinze 157 (1991) 231
- The effect of pressure on the dynamic quenching by oxygen of the excited singlet state of 9,10-dimethylanthracene in solution, A.D. Scully, H. Yasuda, M. Okamoto and S. Hirayama 157 (1991) 271
- Crystals*
- neat*
- Two-dimensional model of charge transfer excitons in polyacene crystals, P. Petelenz and M. Slawik 157 (1991) 169
- Spinning-rate dependence of  $^{31}\text{P}$  magic-angle-spinning nuclear magnetic resonance spectra in condensed phosphates, S. Hayashi and K. Hayamizu 157 (1991) 381
- mixed*
- Singlet excitation energy transfer in tetracene doped *p*-terphenyl single crystals, A. Krüger, C. Kryschi, L. Valkunas and D. Schmid 157 (1991) 243
- Glasses*
- Absorption spectra of a solvated electron in ethers, H. Abramczyk and J. Kroh 157 (1991) 373
- Polymers*
- The treatment of electron correlation in aperiodic systems. IV. Exciton bands and double ionization potentials, C.-M. Liegener 157 (1991) 183
- On the fluorescence depolarization in bis-(N-carbazolyl) compounds, M. Hennecke and H.F. Kauffmann 157 (1991) 391
- Radiative lifetimes of confined excitations in sigma-conjugated silane oligomers, J.R.G. Thorne, S.A. Williams, R.M. Hochstrasser and P.J. Fagan 157 (1991) 401
- Thin films*
- A time-resolved fluorescence study of electronic excitation energy transport in concentrated dye solutions, A.D. Scully, A. Matsumoto and S. Hirayama 157 (1991) 253
- Low-dimensional materials*
- Pressure dependence of the polarized reflectance spectrum of a solid charge-transfer complex, perylene-hexacyanobutadiene (HCBT), Chem. Phys. 156 (1991) 113-122., T. Ida, K. Yakushi, H. Kuroda, H. Yamochi and G. Saito 157 (1991) 305

*Plasmas*

- Dissociation rate and  $N(^4S)$  atom concentrations in a  $N_2$  glow-discharge, J. Loureiro 157 (1991) 157

**Microscopic systems***Atoms*

- Quantumchemical electronegativity and hardness indices for bonded atoms, L. Komorowski and J. Lipiński 157 (1991) 45

*Molecules (neutral and ionic)*

- Quantumchemical electronegativity and hardness indices for bonded atoms, L. Komorowski and J. Lipiński 157 (1991) 45
- Ab initio quantum-chemical study of the unimolecular pyrolysis mechanisms of fluorocarbonic and chlorocarbonic acid, J.S. Francisco and W.A. Ghoul 157 (1991) 89
- Variational approach to quantum dynamics: a simple application to molecular photodissociation, G.P. Arrighini, N. Durante and C. Guidotti 157 (1991) 365

*-diatomic*

- Construction of bound-state potential energy curves of diatomic molecules from spectroscopic data, C.G. Diaz, F.M. Fernández and E.A. Castro 157 (1991) 35
- Modified version of the trajectory surface leaking method for dynamical calculations on autoionizing atom-diatom collision systems, J. Vojtik and I. Paidarová 157 (1991) 67
- Adiabatic calculations and properties of the  $He_2^+$  molecular ion, J. Ackermann and H. Hogreve 157 (1991) 75
- Singlet-triplet energy component differences in homonuclear diatomics: a multi-reference configuration interaction study of Hund's rule, K.V. Darvesh, P.D. Fricker and R.J. Boyd 157 (1991) 99
- Transition probabilities for the  $B'^1\Delta_g-A'^1\Pi_u$  and  $B'^1\Sigma_g^+-A'^1\Pi_u$  infrared bands of  $C_2$ . An ab initio study, P.J. Bruna and J.S. Wright 157 (1991) 111
- The potential of the  $Na_2 B'^1\Pi_u$  state, H. Richter, H. Knöckel and E. Tiemann 157 (1991) 217
- Relaxation of singlet molecular oxygen in the liquid and gas phase up to 154 K, M. Seidl, J. Kaa and M. Maier 157 (1991) 279
- The vibrational constant of the  $O_2^+ X'^1\Sigma_g^+$  state from the dissociative decay of  $n=3,4$  Rydberg states in  $O_2^+$ , W.J. van der Zande 157 (1991) 287
- Photothermal grating spectroscopy study of nongeminate atom recombination of photodissociated iodine in liquids, X.R. Zhu and J.M. Harris 157 (1991) 409

*-small polyatomics*

- Ab initio calculation of phosphorus NMR chemical shifts in the gauge including atomic orbital method, D.B. Chesnut and B.E. Rusiloski 157 (1991) 105
- On the critical scattering phenomena of a nonpolar fluid composed of chiral molecules, E.-K. Lee, D.J. Lee and S.K. Kim 157 (1991) 135
- Ring-puckering and internal rotation barriers in  $N,N'$ -dimethylethyleneurea, J.C. Otero, J.I. Marcos, E. López-Cantarero and A. Chacón 157 (1991) 201

*-aromatics*

- The electronic states of the azines. V. Pyridazine, studied by VUV absorption, near threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer and I.C. Walker 157 (1991) 187
- Optically detected magnetic resonance study of the phosphorescent states of trans-2,2'-bipyridine, metal-free cis-2,2'-bipyridine and  $[\text{Zn}(\text{bpy})]^{2+}$ , M. Yagi, B.D. Schlyer and A.H. Maki 157 (1991) 209
- Fluorescence analysis of two new TICT systems: 10-cyano-9,9'-bianthryl (CBA) and 10,10'-dicyano-9,9'-bianthryl (DCBA), S. Müller and J. Heinze 157 (1991) 231
- Singlet excitation energy transfer in tetracene doped *p*-terphenyl single crystals, A. Krüger, C. Krysch, L. Valkunas and D. Schmid 157 (1991) 243

*-other large*

- Ab initio quantum-chemical study of the unimolecular pyrolysis mechanisms of fluorofornic and chloroformic acid, J.S. Francisco and W.A. Ghoul 157 (1991) 89

*Molecular aggregates*

- Pressure dependence of the polarized reflectance spectrum of a solid charge-transfer complex, perylene-hexacyanobutadiene (HCBT), Chem. Phys. 156 (1991) 113-122., T. Ida, K. Yakushi, H. Kuroda, H. Yamochi and G. Saito 157 (1991) 305

*-dimers*

- A time-resolved fluorescence study of electronic excitation energy transport in concentrated dye solutions, A.D. Scully, A. Matsumoto and S. Hirayama 157 (1991) 253
- On the fluorescence depolarization in bis-(N-carbazolyl) compounds, M. Hennecke and H.F. Kauffmann 157 (1991) 391

*Quasiparticles (including excitons)*

- Two-dimensional model of charge transfer excitons in polyacene crystals, P. Petelenz and M. Slawik 157 (1991) 169
- The treatment of electron correlation in aperiodic systems. IV. Exciton bands and double ionization potentials, C.-M. Liegener 157 (1991) 183

*Ions and charge carriers*

- Interaction potentials in rare gas-halide ion systems, V. Kellö and A.J. Sadlej 157 (1991) 123
- The benzene dication: energies of excited states determined by double-charge-transfer spectroscopy using  $\text{OH}^+$  and  $\text{F}^+$  projectile ions, W.J. Griffiths and F.M. Harris 157 (1991) 299
- Laser-initiated chain reactions and microexplosions in solid solutions of methylcyclopropane and chlorine, Chem. Phys. 156 (1991) 141-148., T.J. Tague Jr. and C.A. Wright 157 (1991) 305

**Phenomena***Molecular structure*

- The electronic states of the azines. V. Pyridazine, studied by VUV absorption, near threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer and I.C. Walker 157 (1991) 187
- Ring-puckering and internal rotation barriers in  $\text{N,N}'$ -dimethylethyleneurea, J.C. Otero, J.I. Marcos, E. López-Cantarero and A. Chacón 157 (1991) 201

*Vibrations and rotations of molecules*

- Construction of bound-state potential energy curves of diatomic molecules from spectroscopic data, C.G. Diaz, F.M. Fernández and E.A. Castro 157 (1991) 35
- Adiabatic calculations and properties of the  $\text{He}_2^+$  molecular ion, J. Ackermann and H. Hogreve 157 (1991) 75

*Electronic structure and states*

- Adiabatic calculations and properties of the  $\text{He}_2^+$  molecular ion, J. Ackermann and H. Hogreve 157 (1991) 75
- Singlet-triplet energy component differences in homonuclear diatomics: a multi-reference configuration interaction study of Hund's rule, K.V. Darvesh, P.D. Fricker and R.J. Boyd 157 (1991) 99
- Transition probabilities for the  $B^1\Delta_g-A^1\Pi_u$  and  $B^1\Sigma_g^+-A^1\Pi_u$  infrared bands of  $\text{C}_2$ . An ab initio study, P.J. Bruna and J.S. Wright 157 (1991) 111
- Two-dimensional model of charge transfer excitons in polyacene crystals, P. Petelenz and M. Slawik 157 (1991) 169
- The treatment of electron correlation in aperiodic systems. IV. Exciton bands and double ionization potentials, C.-M. Liegener 157 (1991) 183
- Fluorescence analysis of two new TICT systems: 10-cyano-9,9'-bianthryl (CBA) and 10,10'-dicyano-9,9'-bianthryl (DCBA), S. Müller and J. Heinze 157 (1991) 231
- Pressure dependence of the polarized reflectance spectrum of a solid charge-transfer complex, perylene-hexacyanobutadiene (HCBP), Chem. Phys. 156 (1991) 113-122., T. Ida, K. Yakushi, H. Kuroda, H. Yamochi and G. Saito 157 (1991) 305

*Electric and magnetic properties*

- Ab initio calculation of phosphorus NMR chemical shifts in the gauge including atomic orbital method, D.B. Chesnut and B.E. Rusiloski 157 (1991) 105
- Interaction potentials in rare gas-halide ion systems, V. Kellö and A.J. Sadlej 157 (1991) 123

*Spin splittings*

- Theory and simulation of optically induced line shifts in NMR, M.W. Evans 157 (1991) 1
- Optically detected magnetic resonance study of the phosphorescent states of trans-2,2'-bipyridine, metal-free cis-2,2'-bipyridine and  $[\text{Zn}(\text{bpy})]^{2+}$ , M. Yagi, B.D. Schlyer and A.H. Maki 157 (1991) 209
- Spinning-rate dependence of  $^{31}\text{P}$  magic-angle-spinning nuclear magnetic resonance spectra in condensed phosphates, S. Hayashi and K. Hayamizu 157 (1991) 381

*Optical activity*

- On the critical scattering phenomena of a nonpolar fluid composed of chiral molecules, E.-K. Lee, D.J. Lee and S.K. Kim 157 (1991) 135

*Molecular interactions*

- Modified version of the trajectory surface leaking method for dynamical calculations on autoionizing atom-diatom collision systems, J. Vojtík and I. Paidarová 157 (1991) 67

*Spectral bandshapes and intensities*

- Transition probabilities for the  $B^1\Delta_g-A^1\Pi_u$  and  $B^1\Sigma_g^+-A^1\Pi_u$  infrared bands of  $\text{C}_2$ . An ab initio study, P.J. Bruna and J.S. Wright 157 (1991) 111



- Absorption spectra of a solvated electron in ethers, H. Abramczyk and J. Kroh 157 (1991) 373
- Coupling of electronic and nuclear motion*
- Dissipative relaxation of a low-energy intermediate electronic state in three-level electron transfer, A.M. Kuznetsov and J. Ulstrup 157 (1991) 25
- Absorption spectra of a solvated electron in ethers, H. Abramczyk and J. Kroh 157 (1991) 373
- Energy transfer processes*
- Dissociation rate and  $N(^4S)$  atom concentrations in a  $N_2$  glow-discharge, J. Loureiro 157 (1991) 157
- Singlet excitation energy transfer in tetracene doped *p*-terphenyl single crystals, A. Krüger, C. Kryschi, L. Valkunas and D. Schmid 157 (1991) 243
- A time-resolved fluorescence study of electronic excitation energy transport in concentrated dye solutions, A.D. Scully, A. Matsumoto and S. Hirayama 157 (1991) 253
- Relaxation of singlet molecular oxygen in the liquid and gas phase up to 154 K, M. Seidl, J. Kaa and M. Maier 157 (1991) 279
- Molecular photophysical processes*
- Fluorescence analysis of two new TICT systems: 10-cyano-9,9'-bianthryl (CBA) and 10,10'-dicyano-9,9'-bianthryl (DCBA), S. Müller and J. Heinze 157 (1991) 231
- The effect of pressure on the dynamic quenching by oxygen of the excited singlet state of 9,10-dimethylanthracene in solution, A.D. Scully, H. Yasuda, M. Okamoto and S. Hirayama 157 (1991) 271
- Laser-initiated chain reactions and microexplosions in solid solutions of methylcyclopropane and chlorine, Chem. Phys. 156 (1991) 141-148., T.J. Tague Jr. and C.A. Wright 157 (1991) 305
- General numerical solution to the time-dependent master equation for non-steady-state reactions: application to the photoinitiated isomerization of cycloheptatriene to toluene, R.L. Jackson 157 (1991) 315
- Variational approach to quantum dynamics: a simple application to molecular photodissociation, G.P. Arrighini, N. Durante and C. Guidotti 157 (1991) 365
- On the fluorescence depolarization in bis-(*N*-carbazolyl) compounds, M. Hennecke and H.F. Kauffmann 157 (1991) 391
- Photothermal grating spectroscopy study of nongeminate atom recombination of photodissociated iodine in liquids, X.R. Zhu and J.M. Harris 157 (1991) 409
- Intramolecular dynamics*
- Optically detected magnetic resonance study of the phosphorescent states of trans-2,2'-bipyridine, metal-free cis-2,2'-bipyridine and  $[Zn(bpy)]^{2+}$ , M. Yagi, B.D. Schlyer and A.H. Maki 157 (1991) 209
- The vibrational constant of the  $O_2^+ X^1\Sigma_g^+$  state from the dissociative decay of  $n=3,4$  Rydberg states in  $O_2^+$ , W.J. van der Zande 157 (1991) 287
- vibrational energy redistribution (including vibrational dissociation)*
- Dissociation rate and  $N(^4S)$  atom concentrations in a  $N_2$  glow-discharge, J. Loureiro 157 (1991) 157
- Luminescence spectra, yields and lifetimes*
- Radiative lifetimes of confined excitations in sigma-conjugated silane oligomers, J.R.G. Thorne, S.A. Williams, R.M. Hochstrasser and P.J. Fagan 157 (1991) 401



*Reactions (including dissociation)*

- Activated rate processes in the multidimensional case. Consideration of recrossings in the multidimensional Kramers problem with anisotropic friction, A.M. Berezhkovskii and V.Yu. Zitserman 157 (1991) 141

*-gas phase*

- Dissociation rate and  $N(^4S)$  atom concentrations in a  $N_2$  glow-discharge, J. Loureiro 157 (1991) 157  
 The benzene dication: energies of excited states determined by double-charge-transfer spectroscopy using  $OH^+$  and  $F^+$  projectile ions, W.J. Griffiths and F.M. Harris 157 (1991) 299  
 General numerical solution to the time-dependent master equation for non-steady-state reactions: application to the photoinitiated isomerization of cycloheptatriene to toluene, R.L. Jackson 157 (1991) 315

*-condensed phase*

- Dissipative relaxation of a low-energy intermediate electronic state in three-level electron transfer, A.M. Kuznetsov and J. Ulstrup 157 (1991) 25  
 Activated rate processes in the multidimensional case. Consideration of recrossings in the multidimensional Kramers problem with anisotropic friction, A.M. Berezhkovskii and V.Yu. Zitserman 157 (1991) 141  
 The effect of pressure on the dynamic quenching by oxygen of the excited singlet state of 9,10-dimethylanthracene in solution, A.D. Scully, H. Yasuda, M. Okamoto and S. Hirayama 157 (1991) 271  
 Laser-initiated chain reactions and microexplosions in solid solutions of methylcyclopropane and chlorine, Chem. Phys. 156 (1991) 141-148., T.J. Tague Jr. and C.A. Wright  
 Computer simulation of partially diffusion-controlled reactions, M.A. López-Quintela and M.C. Buján-Núñez 157 (1991) 305  
 157 (1991) 307

*-photochemical*

- The effect of pressure on the dynamic quenching by oxygen of the excited singlet state of 9,10-dimethylanthracene in solution, A.D. Scully, H. Yasuda, M. Okamoto and S. Hirayama 157 (1991) 271

*Tunnelling*

- The potential of the  $Na_2$   $B^1\Pi_u$  state, H. Richter, H. Knöckel and E. Tiemann 157 (1991) 217

*Electron transfer*

- Dissipative relaxation of a low-energy intermediate electronic state in three-level electron transfer, A.M. Kuznetsov and J. Ulstrup 157 (1991) 25  
 Dynamics of charge transfer chemical reactions in a polar medium within the scope of the Born-Kirkwood-Onsager model, M.V. Basilevsky and G.E. Chudinov 157 (1991) 327  
 The configuration interaction theory for charge transfer chemical processes in a polar solvent, M.V. Basilevsky and G.E. Chudinov 157 (1991) 345

*Ionization (including Rydberg states)*

- Modified version of the trajectory surface leaking method for dynamical calculations on autoionizing atom-diatom collision systems, J. Vojtík and I. Paidarová 157 (1991) 67  
 The vibrational constant of the  $O_2^+ X^1\Sigma_g^+$  state from the dissociative decay of  $n=3,4$  Rydberg states in  $O_2^+$ , W.J. van der Zande 157 (1991) 287

- The benzene dication: energies of excited states determined by double-charge-transfer spectroscopy using  $\text{OH}^+$  and  $\text{F}^+$  projectile ions, W.J. Griffiths and F.M. Harris 157 (1991) 299
- Molecular motion (including diffusive)*
- On the fluorescence depolarization in bis-(N-carbazolyl) compounds, M. Hennecke and H.F. Kauffmann 157 (1991) 391
- Photothermal grating spectroscopy study of nongeminate atom recombination of photo-dissociated iodine in liquids, X.R. Zhu and J.M. Harris 157 (1991) 409
- Collective motion and excitations*
- Activated rate processes in the multidimensional case. Consideration of recrossings in the multidimensional Kramers problem with anisotropic friction, A.M. Berezhkovskii and V.Yu. Zitserman 157 (1991) 141
- Thermodynamic and transport properties*
- Specific heat from an unsymmetrical double well potential, I.D. Feranchuk, A.P. Ulyanenko and V.S. Kuz'min 157 (1991) 61
- Interaction potentials in rare gas-halide ion systems, V. Kellö and A.J. Sadlej 157 (1991) 123
- Critical phenomena*
- On the critical scattering phenomena of a nonpolar fluid composed of chiral molecules, E.-K. Lee, D.J. Lee and S.K. Kim 157 (1991) 135